


Since its introduction in early 1992, the Hercules™ family of precast concrete retaining wall modules has proven itself to be more versatile than even we expected. The systems variety of interchangeable module sizes and variable batter allow for extremely tall gravity walls. Reinforced walls of unlimited height are accomplished with the shortest and lightest reinforcement layers of any competitive system we have found. No matter how a wall is built, we are confident that Hercules™ retaining wall cross-sections are the thinnest. That means Hercules™ walls are versatile, economical and can be pushed closer to property lines, utilities and mature trees. The open face design of the Hercules wall system provides the opportunity to vegetate a wall for truly unique aesthetics or to minimize the impact of large structures. Our customers enjoy incredible design flexibility, increased control over their site layouts and low impact walls that conform to increasingly tougher development guidelines. We have always had a passion for the Hercules™ retaining wall system and we sincerely believe you will too.



HERCULES™
Patented

Retaining Wall Modules
"The Wall That Comes to Life"



Home

About Us

Product Brochures

Photo Gallery

Details and Specs


Planting Info

Case Studies

Distribution

FAQ

Testimonials



Patented Hercules Module

"The Green Wall Specialist"

Product Brochures


Click an image for a full-size view.
Click name for printable PDF.



EcoWorks Brochure



EcoWorks Banner



EcoWorks Installation Guide



Commercial Brochure Front



Commercial Brochure Back



Residential Brochure Front



Residential Brochure Back




Neptune Brochure Front



Neptune Brochure Back



Block Specs



System Info



Installation Guide

[Terms of Use](#) | [Site Map](#) | [Links](#) | [Contact](#)

©Copyright 2007 St. Louis Retaining Wall Company

Manufactured by or under license from St. Louis Retaining Wall Company
12901 Saint Charles Rock Road Bridgeton MO 63044
Phone 314-291-3200 Fax 314-291-0265
Covered by one or more of the following patents: 5,277,012
D360,475 D340,996 D362,077 D347,285 D372,106 Other patents pending.